

## CLAIMS

I claim:

1. A detachable neckroll in combination with a cellular telephone comprising:

a cushioned body adapted for housing an electrical power supply and electrical circuitry;

means for attaching said cushioned body to a headrest of an automobile seat;

at least one speaker incorporated into said cushioned body;

at least one boom microphone pivotally attached to said cushioned body; and

an electrical cord connected to said cushioned body for electrically connecting said microphone and said speaker to said cellular telephone.

2. The detachable neckroll and cellular telephone according to claim 1, further comprising an inline volume control means for adjusting the volume of said speaker and said microphone, and disposed in said electrical cord, and electrically connected between said speaker, said microphone and the cellular telephone.

3. The detachable neckroll and cellular telephone according to claim 1, wherein said speaker is laterally disposed in an end of said neckroll.

4. The detachable neckroll and cellular telephone according to claim 1, wherein said means for attaching the neckroll to a headrest of an automobile seat comprises a strap having a first end integral with said cushioned, body and a second end having a strip of hook and loop fastening material attached thereto, said strap being adapted for wrapping around a headrest with the second end of said strap being removably fastened to said cushioned body.

5. A detachable neckroll for use with a cellular telephone comprising:

a cushioned body adapted for housing an electrical power supply and electrical circuitry;

at least one speaker incorporated into said cushioned body;

at least one boom microphone pivotally attached to said cushioned body; and

an electrical cord connected to said cushioned body for electrically connecting said microphone and said speaker to said cellular telephone.

6. The detachable neckroll according to claim 5, further comprising an inline volume control means for adjusting the volume of said speaker and said microphone, and disposed in said electrical cord, and electrically connected between said speaker, said microphone and the cellular telephone.

7. The detachable neckroll according to claim 1, wherein said speaker is laterally disposed in an end of said neckroll.

8. The detachable neckroll according to claim 5, further comprising means for attaching said neckroll to the headrest of an automobile seat.

9. The detachable neckroll according to claim 8, wherein said means for attaching the neckroll to a headrest of an automobile seat comprises a strap having a first end integral with said cushioned, body and a second end having a strip of hook and loop fastening material attached thereto, said strap being adapted for wrapping around a headrest with the second end of said strap being removably fastened to said cushioned body.

409690-043350

10. A detachable neckroll for use with a cellular telephone comprising:

a cushioned body adapted for housing an electrical power supply and electrical circuitry;

means for attaching said neckroll to the headrest of an automobile seat;

at least one speaker incorporated into said cushioned body, said speaker being laterally disposed in an end of said neckroll;

at least one boom microphone pivotally attached to said cushioned body;

an electrical cord connected to said cushioned body for electrically connecting said microphone and said speaker to said cellular telephone; and

an inline volume control means for adjusting the volume of said speaker and said microphone, and disposed in said electrical cord, and electrically connected between said speaker, said microphone and the cellular telephone.

11. The detachable neckroll according to claim 10, wherein said means for attaching the neckroll to a headrest of an automobile seat comprises a strap having a first end integral with said cushioned, body and a second end having a strip of hook and loop fastening material attached thereto, said strap being adapted for wrapping around a headrest with the second end of said strap being removably fastened to said cushioned body.